


CORRECTION

Open Access



Correction: Traditional Chinese Medicine Shi-Bi-Man regulates lactic acid metabolism and drives hair follicle stem cell activation to promote hair regeneration

Haojie Du¹, Tao Zhang¹, Qiao Wang², Xinran Cao¹, Huiwen Zheng³, Jiabin Li³, Jianxia Zhu⁴, Jiao Qu^{1*}, Lehang Guo^{2*} and Yang Sun^{1,5*} 

Correction: Chinese Medicine (2023) 18:84
<https://doi.org/10.1186/s13020-023-00791-z>

The original article [1] has been corrected.

Following publication of the original article [1], the authors reported an error in Fig. 6D. The correct Fig. 6 has been provided in this Correction.

Published online: 01 August 2023

The original article can be found online at <https://doi.org/10.1186/s13020-023-00791-z>.

*Correspondence:

Jiao Qu
qujiao19920819@163.com
Lehang Guo
gopp1314@hotmail.com
Yang Sun
yangsun@nju.edu.cn

¹ State Key Laboratory of Pharmaceutical Biotechnology, School of Life Sciences, Nanjing University, 163 Xianlin Avenue, Nanjing 210023, China

² Department of Ultrasound, Shanghai Tenth People's Hospital, Shanghai, China

³ Department of Dermatology, Children's Hospital, Zhejiang University School of Medicine, National Clinical Research Center for Child Health, Hangzhou 310052, Zhejiang, China

⁴ Shenzhen Sipimo Technology Co., Ltd., Shenzhen 518000, Guangdong, China

⁵ Jiangsu Key Laboratory of New Drug Research and Clinical Pharmacy, Xuzhou Medical University, 209 Tongshan Road, Xuzhou 221004, China



© The Author(s) 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.




Fig. 6 HFSCs with high expression of *LDHA* regulates autophagy related pathways. **A** The distribution of HFSCs with low and high *LDHA* expression in UMAP plot. HFSCs with *LDHA* expression > 2.5 (High) and *LDHA* expression < 1 (Low). **B** The proportion of HFSCs with high, middle and low *LDHA* expression. **C** Volcano plot of differentially expressed genes in HFSCs between low and high expression of *LDHA*. Significantly differentially expressed genes in the SBM group are shown as a red (up) or blue (down) dots. **D** Gene ontology analysis of differentially expressed genes

Reference

1. Du H, Zhang T, Wang Q, Cao X, Zheng H, Li J, Zhu J, Qu J, Guo L, Sun Y. Traditional Chinese Medicine Shi-Bi-Man regulates lactic acid metabolism and drives hair follicle stem cell activation to promote hair regeneration. *Chin Med.* 2023;18:84. <https://doi.org/10.1186/s13020-023-00791-z>.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.